

DAFTAR PUSTAKA

- [1] F. P. Linnarto, K. P. Gunawan, M. Setiadi, R. A. Ashyari, and S. Lukman, **“Teh Putih sebagai Alternatif Minuman Fungsional untuk Gaya Hidup Sehat: Peluang Komersialisasi di Indonesia,”** *Indonesia Business Review*, vol. 02, no. 1, 2019.
- [2] J. Bhattacharjee, **“A Study on the Benefits of Tea,”** *International Journal of Humanities & Social Science Studies (IJHSSS)*, vol. 6959, no. 109, pp. 109–121, 2015.
- [3] R. Arbaiah, **“Pengaruh Ukuran Potong Terhadap Atribut Sensori Dengan Pengujian Alat E-Toung Pada Teh Sawo (Manilkara Zapota),”** vol. 6, no. 2, pp. 116–118, 2019.
- [4] P. M. Lee and R. Abdullah, **“Thermal Degradation of Blue Anthocyanin Extract of Clitoria ternatea Flower,”** *Ipcbee*, vol. 7, pp. 49–53, 2011.
- [5] A. E. Al-snafi, **“Pharmacological importance of Clitoria ternatea – A review,”** *IOSR J Pharm*, vol. 6, no. 3, pp. 68–83, 2016.
- [6] J. He and M. Monica Giusti, **“Anthocyanins: Natural colorants with health-promoting properties,”** *Annu Rev Food Sci Technol*, vol. 1, no. 1, pp. 163–187, 2010, doi: 10.1146/annurev.food.080708.100754.
- [7] G. Williamson and B. Holst, **“Dietary reference intake (DRI) value for dietary polyphenols : are we heading in the right direction ?,”** *British Journal of Nutrition*, vol. 99, no. 3, pp. 55–58, 2008, doi: 10.1017/S0007114508006867.

- [8] A. C. Gonçalves, A. R. Nunes, A. Falcão, G. Alves, and L. R. Silva, “**Dietary effects of anthocyanins in human health: A comprehensive review,**” *Pharmaceuticals*, vol. 14, no. 7, pp. 1–34, 2021, doi: 10.3390/ph14070690.
- [9] D. Noviana, M. A. Zaini, and A. Alamsyah, “**Pengaruh Lama Pengeringan Terhadap Mutu Teh Bunga Kenanga (Cananga odorata),**” *Naskah Publikasi Fakultas Teknologi Pangan dan Agroindustri Universitas Mataram*, p. 4, 2018.
- [10] A. Indrayani *et al.*, “**Pelatihan Pembuatan Teh Dan Sirup Tanaman Herbal Berkhasiat Obat Pada Ibu Pkk Desa Mambang Tabanan,**” vol. 19, no. 3, pp. 276–282, 2020.
- [11] D. Rohdiana, “**Teh : Proses, Karakteristik & Komponen Fungsionalnya,**” *FoodReview Indonesia*, vol. IX, no. 8, pp. 1–5, 2015.
- [12] U. N. N. P. D. Team, “**Clitoria ternatea L,**” United States Department of Agriculture. [Online]. Available: <https://plants.usda.gov/home/plantProfile?symbol=C LTE3>
- [13] E. Sutedi, “**Potensi Kembang Telang (Clitoria ternatea) sebagai Tanaman Pakan Ternak,**” *Wartazoa*, vol. 23, no. 2, pp. 51–62, 2013.
- [14] P. Chayaratanasin, M. A. Barbieri, N. Suanpairintr, and S. Adisakwattana, “**Inhibitory effect of Clitoria ternatea flower petal extract on fructose-induced protein glycation and oxidation-dependent damages to albumin in vitro,**” *Complementary and Alternative Medicine*, pp. 1–9, 2015, doi: 10.1186/s12906-015-0546-2.

- [15] A. N. Ahmad, S. Abdullah Lim, and N. Navaranjan, **“Development of sago (Metroxylon sago)-based colorimetric indicator incorporated with butterfly pea (Clitoria ternatea) anthocyanin for intelligent food packaging,”** *J Food Saf*, vol. 40, no. 4, 2020, doi: 10.1111/jfs.12807.
- [16] N. N. A. Zakaria, E. J. Okello, M. J. Howes, M. A. Birch-Machin, and A. Bowman, **“In vitro protective effects of an aqueous extract of Clitoria ternatea L. flower against hydrogen peroxide-induced cytotoxicity and UV-induced mtDNA damage in human keratinocytes,”** *Phytotherapy Research*, vol. 32, no. 6, pp. 1064–1072, 2018, doi: 10.1002/ptr.6045.
- [17] P. A. G. Waisnawi, G. A. K. D. Puspawati, and L. P. Wrasiasi, **“Pengaruh Penambahan Jeruk Nipis Terhadap pH, Total Antosianin, dan Aktivitas Antioksidan pada Minuman Bunga Telang,”** *Jurnal Ilmiah Teknologi Pertanian AGROTECHNO*, vol. 7, no. April, pp. 89–95, 2022.
- [18] D. Handito *et al.*, **“Analisis Komposisi Bunga Telang (Clitoria Ternatea) Sebagai Antioksidan Alami Pada Produk Pangan,”** vol. 4, no. November 2021, pp. 23–24, 2022.
- [19] F. D. Pertiwi, F. Rezaldi, and R. Puspitasari, **“Aktivitas Antibakteri Ekstrak Etanol Bunga Telang (Clitoria ternatea L.) Terhadap Bakteri Staphylococcus epidermidis,”** *e-Jurnal Ilmiah BIOSAIN TROPIS (BIOSCIENCE-TROPIC)*, vol. 7, no. November 2021, pp. 57–68, 2022, doi: 10.33474/e-jbst.v7i2.471.

- [20] E. F. Riyanto, A. N. Nurjanah, and S. N. Ismi, “**Daya Hambat Ekstrak Etanol Bunga Telang (*Clitoria ternatea* L) Terhadap Bakteri Perusak Pangan,**” *Jurnal Kesehatan Bakti Tunas Husada :Jurnal Ilmu Ilmu Keperawatan, Analis Kesehatan dan Farmasi*, vol. 19, pp. 218–225, 2019.
- [21] J. Martín, M. J. Navas, A. M. Jiménez-Moreno, and A. G. Asuero, “**Anthocyanin Pigments: Importance, Sample Preparation and Extraction,**” *Phenolic Compounds - Natural Sources, Importance and Applications*, pp. 117–152, 2017, doi: 10.5772/66892.
- [22] M. Priska, N. Peni, L. Carvallo, and Y. D. Ngapa, “**Review : Antosianin Dan Pemanfaatannya,**” *Cakra Kimia*, vol. 6, no. 2, pp. 79–97, 2018.
- [23] A. Nugroho, *Buku Ajar : Teknologi Bahan Alam*, 1st ed. Banjarmasin: Lambung Mangkurat University Press, 2017.
- [24] G. C. V. Gamage, Y. Y. Lim, and W. S. Choo, “**Anthocyanins From *Clitoria ternatea* Flower : Biosynthesis , Extraction , Stability , Antioxidant Activity , and Applications,**” *Front Plant Sci*, vol. 12, no. December, pp. 1–17, 2021, doi: 10.3389/fpls.2021.792303.
- [25] J. Lee, R. W. Durst, and R. E. Wrolstadin, “**Determination of Total Monomeric Anthocyanin Pigment Content of Fruit Juices, Beverages, Natural Colorants, and Wines by the pH Differential Method: Collaborative Study,**” *JAOAC Int*, vol. 88, no. 5, pp. 1269–1278, 2005.
- [26] T. Suhartati, *Dasar-Dasar Spektrofotometri Uv-Vis Dan Spektrometri Massa Untuk Penentuan Struktur*

Senyawa Organik. Bandar Lampung: AURA CV. Anugrah Utama Raharja, 2017.

- [27] P. (Peter) Fellows, *Food processing technology : principles and practice*. Woodhead Pub., 2002.
- [28] N. K. A. Martini, G. A. Ekawati, and P. T. Ina, “Pengaruh Suhu Dan Lama Pengeringan Terhadap Karakteristik Teh Bunga Telang (*Clitoria Ternatea L*),” *Jurnal Itepa*, vol. 9, no. September, pp. 327–340, 2020.
- [29] B. S. Indonesia, “SNI 3836:2013 Teh Kering dalam Kemasan,” *Badan Standarisasi Nasional*, pp. 1–11, 2000.
- [30] Badan Standarisasi Nasional, “SNI 01-3182-1992 Penentuan Kadar Air,” Badan Standarisasi Nasional, 1992. [Online]. Available: <http://slidepdf.com/reader/full/sni-01-3182-1992-kadar-air>
- [31] B. O. Okezie and A. B. Bello, “Physicochemical and Functional Properties of Winged Bean Flour and Isolate Compared with Soy Isolate,” *J Food Sci*, vol. 53, no. 2, pp. 450–454, 1988.
- [32] L. Anisyah, I. A. P. K, and L. V. Tindaon, “Suhu dan waktu optimum penyeduhan simplisia bunga telang (*Clitoria ternatea L*) terhadap kandungan antioksidan,” *Media Farmasi*, vol. 18, no. 1, pp. 16–19, 2022.
- [33] B. Wiyantoko and Astuti, “Butterfly Pea (*Clitoria Ternatea L*) Extract as Indicator of Acid-Base Titration,” *Indonesian Journal of Chemical Analysis (IJCA)*, vol. 03, no. 01, pp. 22–32, 2020.

- [34] F. and D. A. Dockets Management, **“Guidance for Industry: Guidelines for Determining Metric Equivalents of Household Measures,”** U.S FOOD & DRUG ADMINISTRATION.
- [35] D. Vella, **“Floating Versus Sinking,”** *Annu Rev Fluid Mech*, vol. 47, no. August, pp. 115–135, 2015, doi: 10.1146/annurev-fluid-010814-014627.
- [36] S. Muljati, A. Triwinarto, N. Utami, dan Hermina Pusat Penelitian dan Pengembangan Upaya Kesehatan Masyarakat, B. Penelitian dan Pengembangan Kesehatan, and K. R. Kesehatan JI Percetakan, **“Gambaran Median Tinggi Badan Dan Berat Badan Menurut Kelompok Umur Pada Penduduk Indonesia Yang Sehat Berdasarkan Hasil Riskesdas 2013,”** Nov. 2016.