

DAFTAR PUSTAKA

- [1] N. Tatusko-Krygier, J. Diatta, E. Chudzinska, Z. Waraczewska, D. Gawronski, and N. Youssef, “Bioactive levels of Zn, Pb, Cu, Cd and Mg, Fe in pollution sensitive and tolerant Scots pines needles – Is survival mineral-dependent?,” *Ecol. Indic.*, vol. 146, no. November 2022, pp. 0–1, 2023, doi: 10.1016/j.ecolind.2022.109751.
- [2] A. E. Schwarz, T. N. Ligthart, E. Boukris, and T. van Harmelen, “Sources, transport, and accumulation of different types of plastic litter in aquatic environments: A review study,” *Mar. Pollut. Bull.*, vol. 143, no. April, pp. 92–100, 2019, doi: 10.1016/j.marpolbul.2019.04.029.
- [3] A. K. Priya, L. Gnanasekaran, K. Dutta, S. Rajendran, D. Balakrishnan, and M. Soto-Moscoso, “Biosorption of heavy metals by microorganisms: Evaluation of different underlying mechanisms,” *Chemosphere*, vol. 307, no. P4, p. 135957, 2022, doi: 10.1016/j.chemosphere.2022.135957.
- [4] J. Sedlakova-Kadukova, A. Kopcakova, L. Gresakova, A. Godany, and P. Pristas,

- “Bioaccumulation and biosorption of zinc by a novel *Streptomyces* K11 strain isolated from highly alkaline aluminium brown mud disposal site,” *Ecotoxicol. Environ. Saf.*, vol. 167, no. September 2018, pp. 204–211, 2019, doi: 10.1016/j.ecoenv.2018.09.123.
- [5] K. Tian *et al.*, “Ecological risk assessment of heavy metals in sediments and water from the coastal areas of the Bohai Sea and the Yellow Sea,” *Environ. Int.*, vol. 136, no. January, p. 105512, 2020, doi: 10.1016/j.envint.2020.105512.
- [6] J. Wang *et al.*, “Source analysis and risk evaluation of heavy metal in the river sediment of polymetallic mining area: Taking the Tonglushan skarn type Cu-Fe-Au deposit as an example, Hubei section of the Yangtze River Basin, China,” *China Geol.*, vol. 5, no. 4, pp. 649–661, 2022, doi: 10.31035/cg2022052.
- [7] L. N. Fadlillah, S. Utami, A. A. Rachmawati, G. D. Jayanto, and M. Widyastuti, “Ecological risk and source identifications of heavy metals contamination in the water and surface sediments from anthropogenic impacts of urban river, Indonesia,” *Heliyon*, vol. 9, no. 4, p. e15485, 2023, doi: 10.1016/j.heliyon.2023.e15485.

- [8] O. Akhyar *et al.*, “Zn ions and Fe plaque jointly alleviate Cu toxicity in *Sargassum patens C. Agardh*,” *Aquat. Bot.*, vol. 189, no. June, p. 103700, 2023, doi: 10.1016/j.aquabot.2023.103700.
- [9] E. Cerrahoglu Kacakgil and S. Cetintas, “Preparation and characterization of a novel functionalized agricultural waste-based adsorbent for Cu²⁺ removal: Evaluation of adsorption performance using response surface methodology,” *Sustain. Chem. Pharm.*, vol. 22, no. May, 2021, doi: 10.1016/j.scp.2021.100468.
- [10] S. Zarei, A. Karbassi, M. Sadrianasab, and A. Sarang, “Investigating heavy metal pollution in Anzali coastal wetland sediments : A statistical approach to source identification,” *Mar. Pollut. Bull.*, vol. 194, no. PB, p. 115376, 2023, doi: 10.1016/j.marpolbul.2023.115376.
- [11] D. Wei *et al.*, “Biosorption performance evaluation of heavy metal onto aerobic granular sludge-derived biochar in the presence of effluent organic matter via batch and fluorescence approaches,” *Bioresour. Technol.*, vol. 249, no. July 2017, pp. 410–416, 2018, doi: 10.1016/j.biortech.2017.10.015.
- [12] M. Jaishankar, T. Tseten, N. Anbalagan, B. B.

- Mathew, and K. N. Beeregowda, “Toxicity, mechanism and health effects of some heavy metals,” *Interdiscip. Toxicol.*, vol. 7, no. 2, pp. 60–72, 2014, doi: 10.2478/intox-2014-0009.
- [13] E. John, *Nature’s Builing Blocks: An A- Z Guide to the Elements*. OUP Oxford, 2016.
- [14] Y. Xiao *et al.*, “Functional covalent organic framework for exceptional Fe²⁺, Co²⁺ and Ni²⁺ removal: An upcycling strategy to achieve water decontamination and reutilization as smoke suppressant and flame retardant simultaneously,” *Chem. Eng. J.*, vol. 421, no. P2, p. 127837, 2021, doi: 10.1016/j.cej.2020.127837.
- [15] H. Setianto and H. Fahrtsani, “Faktor Determinan Yang Berpengaruh Terhadap Pencemaran Sungai Musi Kota Palembang,” *Media Komun. Geogr.*, vol. 20, no. 2, p. 186, 2019, doi: 10.23887/mkg.v20i2.21151.
- [16] A. I. S. P. Satria Rio Sandro, Susi Lestari, “Analisa Kandungan Kadar Logam Berat PADA Daging Kepiting (*Scylla serrata*) Di Perairan Muara Sungai Banyuasin,” *Fishtech*, vol. 2, no. pp. 1–23, 2013.
- [17] G. Gala, J. L. Aljabar, and D. Aminin, “Analisis Kandungan Logam Fe pada Air Sungai di Kabupaten

- Musi Banyuasin dengan Spektrofotometer Serapan Atom (SSA),” *Sains dan Teknol. Terap.*, vol. 5, pp. 353–357, 2022.
- [18] Pemerintah Republik Indonesia, “Lampiran VI tentang Baku Mutu Air Nasional - PP Nomor 22 Tahun 2021 Tentang Penyelenggaraan Perlindungan dan Pengelolaan Lingkungan Hidup,” *Sekr. Negara Republik Indones.*, vol. 1, no. 078487A, p. 483, 2021, [Online]. Available: <http://www.jdih.setjen.kemendagri.go.id/>
- [19] United National Regional Information Centre, “Sustainable Development Goals (SDGs) Selected Online Resources,” no. September, pp. 25–27, 2015.
- [20] M. Berkani *et al.*, “Photocatalytic degradation of Penicillin G in aqueous solutions: Kinetic, degradation pathway, and microbioassays assessment,” *J. Hazard. Mater.*, vol. 421, no. May 2021, p. 126719, 2022, doi: 10.1016/j.jhazmat.2021.126719.
- [21] A. Skotta *et al.*, “Suspended matter and heavy metals (Cu and Zn) removal from water by coagulation/flocculation process using a new Bio-flocculant: *Lepidium sativum*,” *J. Taiwan Inst. Chem. Eng.*, vol. 145, no. February, p. 104792, 2023,

- doi: 10.1016/j.jtice.2023.104792.
- [22] S. Tamizharasan *et al.*, “Biomass derived carbon blended ion-exchange resins for the removal of toxic metal ions from waste water,” *Optik (Stuttg).*, vol. 283, no. January 2022, p. 170930, 2023, doi: 10.1016/j.ijleo.2023.170930.
 - [23] J. Kristian *et al.*, “Pemanfaatan Sabut Pinang (Areca Catechu L) Sebagai Adsorben Dalam Pengolahan Air Sumur Bor,” pp. 1–10, 2017.
 - [24] J. Wang and B. Xu, “Removal of radionuclide ^{99}Tc from aqueous solution by various adsorbents: A review,” *J. Environ. Radioact.*, vol. 270, no. April, p. 107267, 2023, doi: 10.1016/j.jenvrad.2023.107267.
 - [25] L. Velarde, M. S. Nabavi, E. Escalera, M. L. Antti, and F. Akhtar, “Adsorption of heavy metals on natural zeolites: A review,” *Chemosphere*, vol. 328, no. February, p. 138508, 2023, doi: 10.1016/j.chemosphere.2023.138508.
 - [26] S. K. Sethy, M. V. Kishore, C. Bhagat, and M. Kumar, “Total Environment Research Themes Periodic monitoring of nano clay as the potential adsorbent to remove metal and dyes from wastewater : A review,” *Total Environ. Res. Themes*, vol. 7, no. February, p. 100067, 2023, doi:

- 10.1016/j.totert.2023.100067.
- [27] Y. Liu, X. Yang, J. Ai, Q. Shang, D. Wang, and G. Liao, “Amino-functionalized biomass-based aerogel derived from waste reed converted into an efficient photocatalyst after adsorption of Cu 2 +,” *Chem. Eng. J.*, vol. 474, no. August, p. 145586, 2023, doi: 10.1016/j.cej.2023.145586.
- [28] S. Husien, R. M. El-tawee, A. I. Salim, I. S. Fahim, L. A. Said, and A. G. Radwan, “Review of activated carbon adsorbent material for textile dyes removal: Preparation, and modelling,” *Curr. Res. Green Sustain. Chem.*, vol. 5, no. February, p. 100325, 2022, doi: 10.1016/j.crgsc.2022.100325.
- [29] H. Ouyang *et al.*, “Agricultural waste-derived (nano)materials for water and wastewater treatment: Current challenges and future perspectives,” *J. Clean. Prod.*, vol. 421, no. August, p. 138524, 2023, doi: 10.1016/j.jclepro.2023.138524.
- [30] A. Sharifi *et al.*, “Extruded biocomposite films based on poly(lactic acid)/chemically-modified agricultural waste: Tailoring interface to enhance performance,” *Int. J. Biol. Macromol.*, vol. 233, no. December 2022, p. 123517, 2023, doi: 10.1016/j.ijbiomac.2023.123517.

- [31] Subdirektorat Statistik Hortikultura, *Statistik Tahunan Tanaman Buah dan Sayur Indonesia .BPS-Badan Pusat Statistik.(2022) Jakarta, Indonesia.* 2022.
- [32] E. Taer, Apriwandi, R. Taslim, and Agustino, “The effect of physical activation temperature on physical and electrochemical properties of carbon electrode made from jengkol shell (*Pithecellobium jiringa*) for supercapacitor application,” *Mater. Today Proc.*, vol. 44, pp. 3341–3345, 2020, doi: 10.1016/j.matpr.2020.11.644.
- [33] A. Rahman, Y. Darnas, W. F. Putri, P. T. Lingkungan, U. Islam, and N. A. Banda, “Pemanfaatan Arang Aktif Kulit Jengkol (*Pithecellobium lobatum*) sebagai Adsorben Dalam Menyisihkan Kadar COD dan TSS pada,” *J. Environ. Eng.*, vol. 2, no. 1, pp. 29–47, 2021.
- [34] M. Fildza, R. Rohmatullaili, and A. Oktasari, “Utilization of Jengkol Peel (*Pithecellobium jiringa*) as an Adsorbent of Iron Metal,” *Walisongo J. Chem.*, vol. 5, no. 2, pp. 130–135, 2022, doi: 10.21580/wjc.v5i2.11582.
- [35] A. Mukarromah, *Pemanfaatan kulit Jengkol (*Pithecellobium jiringa*) Sebagai Adsorben Logam*

Berat Cadmium (CD). Universitas Islam Negeri Raden Fatah Palembang, 2022.

- [36] M. Rahmayanti, A. Nurul Syakina, I. Fatimah, and T. Sulistyaningsih, “Green synthesis of magnetite nanoparticles using peel extract of jengkol (*Archidendron pauciflorum*) for methylene blue adsorption from aqueous media,” *Chem. Phys. Lett.*, vol. 803, no. June, p. 139834, 2022, doi: 10.1016/j.cplett.2022.139834.
- [37] T. Wu, G. Yang, J. Cao, Z. Xu, and X. Jiang, “Activation and adsorption mechanisms of methylene blue removal by porous biochar adsorbent derived from eggshell membrane,” *Chem. Eng. Res. Des.*, vol. 188, pp. 330–341, 2022, doi: 10.1016/j.cherd.2022.08.042.
- [38] A. Oktasari, “Kulit Kacang Tanah (*Arachis hypogaea L.*) sebagai Adsorben Ion Pb (II),” *ALKIMIA*, vol. 2, no. 1, pp. 17–27, 2018.
- [39] A. Muslim *et al.*, “Adsorption of Cu(II) ions on areca catechu stem-based activated carbon: Optimization using response surface methodology,” *Int. Rev. Model. Simulations*, vol. 12, no. 2, pp. 123–129, 2019, doi: 10.15866/iremos.v12i2.16846.
- [40] I. N. Amanah, F. Indah, P. Indriyani, and R. O.

- Asriza, "Pengaruh Jenis Asam Pada Aktivasi Cangkang Telur Sebagai Adsorben Logam CU Pada Air Kolong," *SNPPM*, pp. 117–122, 2022.
- [41] F. Indah, P. Sari, and O. Asriza, "Biosorben Kulit Jengkol (Pithecellobium jiringa) sebagai Penyerap Logam Pb pada Air Kolong Pasca Penambangan Timah Ngapi Nut (Pithecellobium jiringa) Peel Biosorbent as Pb Metal Absorbent in Post-Tin Mining Dam Water," vol. 4, no. 2, pp. 83–89, 2018.
- [42] S. Pandia and R. Sitorus, "Penentuan Bilangan Iodin Adsorben Kulit Jengkol Dan Aplikasinya Dalam Penyerapan Logam Pb (II) Pada Limbah Cair Industri Pelapisan Logam Determination Of Iodine Number Of Ngapi Nut Peel Adsorbent And Its Application In The Adsorption Of Pb (II)," *J. Tek. Kim. USU*, vol. 5, no. 4, pp. 8–14, 2016.
- [43] S. Prabhu, T. Daniel Thangadurai, T. Indumathi, and P. Kalugasalam, "Enhanced visible light induced dye degradation and antibacterial activities of ZnO/NiO nanocomposite synthesized using Clitoria ternatea flower extract," *Inorg. Chem. Commun.*, vol. 146, no. October, p. 110077, 2022, doi: 10.1016/j.inoche.2022.110077.
- [44] A. Kurniasih, D. A. Pratiwi, and M. Amin,

- “Pemanfaatan Ampas Tebu Sebagai Arang Aktif Dengan Aktivator Larutan Belimbing Wuluh (*Averrhoa bilimbi L.*),” *Ruwa Jurai J. Kesehat. Lingkung.*, vol. 14, no. 2, p. 56, 2021, doi: 10.26630/rj.v14i2.2287.
- [45] Y. A. Khoerul Amanah, Pratama Jujur Wibawa, *Peningkatan Kemampuan Karbon Aktif Sampah Organic Dengan Proses Aktivasi Menggunakan Ekstrak Daun Papaya Untuk Adsorpsi Zat Warna Metilen Jingga*. Universitas diponegoro, 2021.
- [46] S. Prabhu, T. Daniel Thangadurai, P. Vijai Bharathy, and P. Kalugasalam, “Synthesis and characterization of nickel oxide nanoparticles using Clitoria ternatea flower extract: Photocatalytic dye degradation under sunlight and antibacterial activity applications,” *Results Chem.*, vol. 4, no. November 2021, p. 100285, 2022, doi: 10.1016/j.rechem.2022.100285.
- [47] Agusriyadin, “Karakterisasi , Kinetika , dan Isoterm Adsorpsi Limbah Ampas,” *SAINTIFIK*, vol. 6, no. 2, pp. 104–115, 2020, doi: 10.31605/saintifik.v6i2.265.
- [48] N. Rumbang, W. Trissan, K. Karelius, and R. Agnestisia, “Pemanfaatan Selulosa Dari Kulit Umbut Rotan (*Calamus Sp*) Sebagai Adsorben Metilen Biru,” *J. Sains dan Terap. Kim.*, vol. 15, no. 2, p. 164,

- 2021, doi: 10.20527/jstk.v15i2.8266.
- [49] L. Maulinda, Z. Nasrul, and D. N. Sari, “Jurnal Teknologi Kimia Unimal Pemanfaatan Kulit Singkong sebagai Bahan Baku Karbon Aktif,” *J. Teknol. Kim. Unimal*, vol. 4, no. 2, pp. 11–19, 2015.
 - [50] M. A. El-Binary, A. Shahat, I. M. El-Deen, M. A. Khalil, and N. Hassan, “Spectrophotometric and fluorometric methods for effective monitoring of rust state in boiler systems and Fe²⁺ ion in pharmaceutical samples,” *J. Mol. Liq.*, vol. 382, no. May, p. 121946, 2023, doi: 10.1016/j.molliq.2023.121946.
 - [51] T. Widayatno *et al.*, “Adsorpsi Logam Berat (Pb) dari Limbah Cair dengan Adsorben Arang Bambu Aktif,” *J. Teknol. Bahan Alam*, vol. 1, no. 1, pp. 17–23, 2017.
 - [52] Narwati, H. Suryono, and Setiawan, *Model Peningkatan Kapasitas Adsorpsi Cangkang Telur Ayam Dengan Memanfaatkan Ekstrak Jeruk Limau (Citrus Amblycarpa) Untuk Meminimasi Kadar Timbal (Pb) Kerang Darah (Anadara Granosa) Melalui Alat “Stirrer Chamber”*. Surabaya: Politeknik Kesehatan Kemenkes Surabaya, 2019.
 - [53] R. Marlina, A. Oktasari, and R. Rohmatullaili,

- “Utilization of Adsorbent Cocoa Shell For Purification of Used Cooking Oil,” *Stannum J. Sains dan Terap. Kim.*, vol. 4, no. 1, pp. 6–12, 2022, doi: 10.33019/jstk.v4i1.2638.
- [54] G. A. Wardani and W. T. Wulandari, “Pengaruh Waktu Kontak terhadap Daya Adsorpsi Kulit Jengkol (*Pithecellobium jiringa*) pada Ion Timbal(II),” *Pros. Semin. Nas. Kim. UNY*, no. Oktober, pp. 319–324, 2017.
- [55] W. M. Aizat, F. H. Ahmad-Hashim, and S. N. Syed Jaafar, “Valorization of mangosteen, ‘The Queen of Fruits,’ and new advances in postharvest and in food and engineering applications: A review,” *J. Adv. Res.*, vol. 20, pp. 61–70, 2019, doi: 10.1016/j.jare.2019.05.005.
- [56] A. M. Siti Azima, A. Noriham, and N. Manshoor, “Phenolics, antioxidants and color properties of aqueous pigmented plant extracts: *Ardisia colorata* var. *elliptica*, *Clitoria ternatea*, *Garcinia mangostana* and *Syzygium cumini*,” *J. Funct. Foods*, vol. 38, pp. 232–241, 2017, doi: 10.1016/j.jff.2017.09.018.
- [57] Gala, Adsorpsi Ion Logam Fe Menggunakan Adsorben Sabut Pinang Teraktivasi Ekstrak Daun Nanas (*Ananas comosus L*). Palembang: Universitas

Islam Negeri Raden Fatah Palembang, 2023.

- [58] I. Fitria, E. Pujiawati, and M. Rofik, “Variasi Kadar Avicel pH101 dan Aerosil Terhadap Kadar Air Serbuk Bunga Telang (*Clitoria ternatea L.*),” vol. 4, no. 2, 2023.
- [59] Netravati, S. Gomez, B. Pathrose, M. R. N, M. J. P, and B. Kuruvila, “Comparative evaluation of anthocyanin pigment yield and its attributes from Butterfly pea (*Clitorea ternatea* L.) flowers as prospective food colorant using different extraction methods,” *Futur. Foods*, vol. 6, no. October, p. 100199, 2022, doi: 10.1016/j.fufo.2022.100199.
- [60] Y. Wang *et al.*, “*Clitoria ternatea* blue petal extract protects against obesity, oxidative stress, and inflammation induced by a high-fat, high-fructose diet in C57BL/6 mice,” *Food Res. Int.*, vol. 162, no. September, 2022, doi: 10.1016/j.foodres.2022.112008.
- [61] N. A. M. Ghuzali, M. A. A. C. M. Noor, F. A. Zakaria, T. S. Hamidon, and M. H. Husin, “Study on *Clitoria ternatea* extracts doped sol-gel coatings for the corrosion mitigation of mild steel,” *Appl. Surf. Sci. Adv.*, vol. 6, no. February, p. 100177, 2021, doi: 10.1016/j.apsadv.2021.100177.

- [62] N. Jamil, M. N. Mohd Zairi, N. A. Mohd Nasim, and F. Pa'ee, "Influences of Environmental Conditions to Phytoconstituents in *Clitoria ternatea* (Butterfly Pea Flower) – A Review," *J. Sci. Technol.*, vol. 10, no. 2, 2018, doi: 10.30880/jst.2018.10.02.029.
- [63] P. Bayat, M. Farshchi, M. Yousefian, M. Mahmoudi, and R. Yazdian-Robati, "Flavonoids, the compounds with anti-inflammatory and immunomodulatory properties, as promising tools in multiple sclerosis (MS) therapy: A systematic review of preclinical evidence," *Int. Immunopharmacol.*, vol. 95, no. February, 2021, doi: 10.1016/j.intimp.2021.107562.
- [64] M. Asif, M. Saeed, M. Zafar, U. e. S. Amjad, A. Razzaq, and W. Young Kim, "Development of Co-Al LDH/GO composite photocatalyst for enhanced degradation of textile pollutant under visible light irradiation," *Results Phys.*, vol. 42, no. September, p. 105997, 2022, doi: 10.1016/j.rinp.2022.105997.
- [65] K. Sukla and U. Kumar, "Adsorption of brilliant green dye from aqueous solution onto chemically modified areca nut husk," *South African J. Chem. Eng.*, vol. 35, no. July 2020, pp. 33–43, 2021, doi: 10.1016/j.sajce.2020.11.001.
- [66] K. S. Subramanian *et al.*, "Scanning Electron

- Microscopy: Principle, Components and Applications,” *Textb. Fundam. Appl. Nanotechnol.*, pp. 91–90, 2018.
- [67] S. R. Falsafi, H. Rostamabadi, E. Assadpour, and S. M. Jafari, “Morphology and microstructural analysis of bioactive-loaded micro/nanocarriers via microscopy techniques; CLSM/SEM/TEM/AFM,” *Adv. Colloid Interface Sci.*, vol. 280, 2020, doi: 10.1016/j.cis.2020.102166.
- [68] E. Gultom, S. Sijabat, and B. Aritonang, “Sintesis Dan Karakterisasi Arang Aktif Dari Kulit Jengkol Sebagai Adsorben Terhadap Kadar BOD , COD , TSS Pada Limbah Cair Industri Tahu Synthesis And Characterization Of Activated Charcoal From Jengkol Peel As An Adsorbant On The Levels OF BOD , COD , TS,” *J. Chem. Educ. Sci.*, pp. 122–133, 2022.
- [69] A. San-Felipe, B. Gómez-Nieto, M. J. Gismera, M. T. Sevilla, and J. R. Procopio, “A slurry sampling high resolution continuum source graphite furnace atomic absorption spectrometry approach to determine metals in biomass bottom ash,” *Green Anal. Chem.*, vol. 6, no. June, 2023, doi: 10.1016/j.greeac.2023.100068.

- [70] D. Warono and Syamsudin, “Unjuk Kerja Spektrofotometer Analisa Zat Aktif Ketoprofein,” *Konversi*, vol. 2, p. 60, 2013.
- [71] G. Rekha Krishnan, K. Prabhakaran, and B. K. George, “Watermelon rind derived carbon monolith as potential regenerable adsorbent for perchlorate,” *Bioresour. Technol. Reports*, vol. 21, no. December 2022, p. 101361, 2023, doi: 10.1016/j.biteb.2023.101361.
- [72] A. A. Castaneda-Ramirez, E. Rojas-Garcia, R. Lopez-Medina, D. C. Garcia-Martinez, J. Nicolas-Antunez, and A. M. Maubert-Franco, “Magnetite nanoparticles into Fe-BTC MOF as adsorbent material for the remediation of metal (Cu(II), Pb(II), As(III) and Hg(II)) ions-contaminated water,” *Catal. Today*, vol. 394–396, no. November 2021, pp. 94–102, 2022, doi: 10.1016/j.cattod.2021.11.007.
- [73] S. Murath *et al.*, “Intercalation of atorvastatin and valsartan into Mg[sbnd]Al layered double hydroxide host using a restacking procedure,” *Appl. Clay Sci.*, vol. 231, no. October 2022, 2023, doi: 10.1016/j.clay.2022.106717.
- [74] M. S. Alfarisi, A. Oktasari, and D. Fitriyani, “Biji Kebiul (Caesalpinia Bonduc L. Roxb) sebagai

- Adsorben Logam Besi (Fe)," *Sainteks*, vol. 18, no. 2, p. 107, 2022, doi: 10.30595/sainteks.v18i2.12689.
- [75] Z. Shen, S. Wen, Y. Miao, H. Wang, and Q. Feng, "Interaction of Fe²⁺ with cerussite surfaces and its depression effect on adsorption of sulfidizing agent and collector," *Miner. Eng.*, vol. 203, no. May, p. 108349, 2023, doi: 10.1016/j.mineng.2023.108349.
- [76] N. Yuliasari, A. Wijaya, R. Mohadi, E. Elfita, and A. Lesbani, "Photocatalytic Degradation of Malachite Green by Layered Double Hydroxide Based Composites," *Bull. Chem. React. Eng. Catal.*, vol. 17, no. 2, pp. 240–249, 2022, doi: 10.9767/bcrec.17.2.13482.240-249.
- [77] A. S. Sanjaya and R. P. Agustine, "Studi Kinetika Adsorpsi Pb Menggunakan Arang Aktif Dari Kulit Pisang," *Konversi*, vol. 4, no. 1, p. 17, 2015, doi: 10.20527/k.v4i1.261.
- [78] S. Hastuti *et al.*, "Pemanfaatan Abu Sekam Padi sebagai Sumber Silika untuk Pembuatan Adsorben Ion Logam Cd(II) melalui Teknik Imprinted Ionic," *ALCHEMY J. Penelit. Kim.*, vol. 17, no. 1, p. 113, 2021, doi: 10.20961/alchemy.17.1.44241.113-123.
- [79] R. Basuki, S. Juari, and B. Rusdiarso, "The Novel Kinetics Expression Of Cadmium (II) Removal

Using Green Adsorbent Horse Dung Humic Acid (Hd-Ha),” *Int. Conf. Chem.*, vol. 020001, no. Ii, 2017, doi: 10.1063/1.4978074.

- [80] N. Ahmad, D. Savira, D. Erviana, and R. Mohadi, “A series of MgAl layer double hydroxide-based materials intercalated with *Clitoria ternatea* flower extract as photocatalysts in the ciprofloxacin degradation,” *Chem. Phys. Impact*, vol. 8, no. February, p. 100587, 2024, doi: 10.1016/j.chphi.2024.100587.
- [81] N. Kurniawati, *Karbon Aktif Sabut Pinang Teraktivasi Ekstrak Daun Nanas (Ananas Comosus L.) Sebagai Adsorben Ion Logam Cu*. 2023.
- [82] T. Sulistyaningsih, D. A. Sari, N. Widiarti, W. Astuti, R. Wulandari, and D. Harjunowibowo, “Green synthesis of gaharu leaf extract-modified magnetite as an adsorbent for methyl orange textile dyes,” *Waste Manag. Bull.*, vol. 2, no. 1, pp. 327–339, 2024, doi: 10.1016/j.wmb.2024.02.007.
- [83] L. H. Nguyen *et al.*, “Environmental-friendly method for preparing CoFe₂O₄ coated biopolymer extracted from dragon fruit peel: Characterization and application as nanocomposite adsorbent for removal of As(III) pollutants from aqueous solution,” *J. Ind.*

Eng. Chem., vol. 118, pp. 432–445, 2023, doi: 10.1016/j.jiec.2022.11.027.

- [84] M. Vakili *et al.*, “Regeneration of exhausted adsorbents after PFAS adsorption: A critical review,” *J. Hazard. Mater.*, vol. 471, no. February, 2024, doi: 10.1016/j.jhazmat.2024.134429.
- [85] J. Wang and X. Guo, “Adsorption isotherm models: Classification, physical meaning, application and solving method,” *Chemosphere*, vol. 258, p. 127279, 2020, doi: 10.1016/j.chemosphere.2020.127279.
- [86] E. Sulistyawati, W. W. Nandari, A. R. Nurchasanah, and K. K. Dewi, “Kinetika Adsorpsi Mikrokapsul Kitosan Taut Silang Kalium Persulfat terhadap Zat Warna Methyl Orange,” *J. Rekayasa Proses*, vol. 14, no. 1, pp. 47–59, 2020, doi: 10.22146/jrekpros.50634.
- [87] M. Bayat, E. Salehi, and M. Mahdieh, “Chromochloris zofingiensis microalgae as a potential dye adsorbent: Adsorption thermo-kinetic, isothermal, and process optimization,” *Algal Res.*, vol. 71, no. October 2022, p. 103043, 2023, doi: 10.1016/j.algal.2023.103043.